Residential Roofing

IKO.COM



IKO RESIDENTIAL ROOFING PRODUCTS









Before the first lullaby; before training wheels, summer camps and the big job promotion; ahead of summer vacations and high school graduations — there was one thing that mattered most: safeguarding your family members by providing a roof over their heads.





Many of life's most memorable moments unfold under the **UNCOMPROMISING PROTECTION** of your roof.

Since 1951, IKO has been there for North American families just like yours, quietly enduring the elements to protect families, homes and everything dear — while providing the luxury of not having to worry.

Now that it's time to replace your roof, don't take it for granted. Keeping your family comfortable and safe is just as important now as ever. And it's important to choose roofing products that not only look great, but also can go the distance. At IKO, four generations of family-owned-and-operated experience go into every product we make. The result? **Beauty you can see. Quality you can feel. And performance you can trust. Because at IKO, it's not just roofing. It's roofing elevated.**





BEAUTY YOU CAN SEE
QUALITY YOU CAN FEEL
PERFORMANCE YOU CAN TRUST



Your home should reflect your sense of style and personality, from inside and out.

Your roof may account for up to 40% of the visual surface area of your home's exterior. The right roofing can boost the curb appeal of any style of home, from rustic to urban, colonial to contemporary. Just as upscale countertops can transform your kitchen, so too can IKO roofing products elevate your home from bland to grand.

You'll find the perfect asphalt roofing shingles for yours in one of IKO's collections. You can choose the right color from among the palette of spectacular color blends we offer.


Can't decide on a shingle color? IKO RoofViewer® to the rescue! Our exclusive interactive shingle selector software tool lets you mix and match our shingles based on home style, color of siding and other accessories. Or upload a photo of your actual home. Download at **IKO.COM** or get our free app at Google Play or iTunes. *See details on back cover.

GET IT ON Google play

Download on the App Store

Crowne Slate™


DESIGNER







We take quality to a whole new dimension. You can tell at a touch that IKO Crowne Slate shingles have enduring qualities. We build them to last by laminating two shingles together. Then, we coat the lower one ("shim") with oxidized asphalt and saturate the upper one ("lid" or "cap") with IKO's own modified asphalt. The result? A superior dimensional thickness designed to help create the stunning look of natural stone.



TOUGH TO THE CORE.
The strength of our shingles starts within thanks to our resilient, fiberglass mat, coated top and bottom with weathering asphalt, then surfaced with colored granules.

BUILT-IN ALGAE RESISTANCE.
We embed colorfast algae-resistant granules into our shingles to help inhibit the growth of blue-green algae that can cause unattractive black stains, streaks and discoloration.

ALGAE RESISTANT
IKO PERFORMANCE

LAMINATE ADHESIVE.
Six strips of our tough laminating adhesive are used to adhere the two parts of the shingle together.

AN EXCEPTIONAL BONDING EXPERIENCE.
Our shingles have IKO's Fastlock™ sealant along their bottom edge. This sealant helps prevent wind-driven rain from getting underneath them. When activated by the sun's heat, it gets extra-tacky and creates an even stronger bond to help ensure maximum protection against wind uplift, blow-off and water penetration.

10" EXPOSURE.
You get twice the appeal with almost twice the exposure of the standard architectural styles.

ENGINEERED TO PERFORM.
The unique overlap installation design protects against water penetration and wind uplift. The hybrid, two-piece construction of the shingle makes them extremely durable.

Crowne Slate™

DESIGNER



THE IKO ADVANTAGE

Limited Warranty[1]	Limited Lifetime
Iron Clad Protection[1]	15 Years
Limited Wind Warranty[1]	110 mph (177 km/h)
Limited High-Wind Warranty Upgrade[1,2]	130 mph (210 km/h)
Blue-Green Algae Resistant[1]	Yes

PRODUCT SPECIFICATIONS[3]

Length	39 1/2 in (1003 mm)
Width	13 1/4 in (336 mm)
Exposure	10 in (254 mm)
Coverage per Bundle	25 ft² (2.32 m²)

STANDARDS[4]

ASTM D3462
ASTM D3018
ASTM D7158 – Class H
ASTM D3161 – Class F
ASTM E108 – Class A
CSA A123.5

[1]See Limited Warranty at IKO.com for complete terms, conditions, restrictions and application requirements. Shingles must be applied in accordance with application instructions and local building code requirements. [2]High-wind application is required. [3]All values shown are approximate. [4]Products developed with reference to these standards.

We've left no stone unturned in our quest for the ultimate look of natural slate.

We challenge you to look at a genuine slate tile roof (perhaps on an historic building), then compare it to a roof shingled with IKO Crowne Slate.

From the nuanced colors to the shape of the "tiles," the resemblance is uncanny.

IKO quarries, crushes and colors its own stone. Then, these colored granules are expertly mixed to create a color blend that's just right to make an impressive statement for any style of home.

DESIGNER






Color Featured: Regal Stone

Two stunning color blends to tempt you.

Each color blend is a visual symphony of individual color tones that emulate the natural variations of premium slate. In concert with the extra-large exposure of these shingles, your roof will be "slated" to stir the senses like never before. The affordable price will be music to your ears too.

DESIGNER



Color Featured: **Regal Stone**














Natural slate shows its true colors in our blends.

While we usually think of slate as being grey, black or brown, Mother Nature has also produced it in hues that include varying shades of red, green and even cyan (blue).

We've followed her lead to bring you truly unique and uncommon color blends.

REGAL STONE
Classically elegant, charming, refined, yet welcoming.
PERFECT PAIRINGS: Stone, masonry, wood, brick, siding (especially white, beige or grey).



Look before you make the leap.


It's important to select a color blend for your roof the same way you'd select a paint color for a room in your home. Like a paint chip, an actual sample of our shingles will help you decide when you see how the colors change their appearance according to varying degrees of light.

ROYAL GRANITE
Authentic, down-to-earth, unexpectedly dramatic.
PERFECT PAIRINGS: Stone, masonry, wood, brick, siding (especially cream, beige, brown or red).





DESIGNER



Color Featured: **Royal Granite**

Do you want your home to blend in or stand out? IKO Crowne Slate shingles will elevate the look of any style of home and potentially boost its resale value as well. Whether you want an impressive, dramatic roof or one that quietly complements your natural surroundings, you've just met your match.

PRO4

ROOFING COMPONENTS

Shingles are your home's first line of defense, but they protect, perform and look their best when you choose IKO PRO4 roofing accessories to go with them.

Crowne Slate Designer Shingles offer the best results when installed with the recommended integrated **PRO4** roofing accessories that are showcased below.

DECK PROTECTION 1



Goldshield™



It is used for waterproofing under shingled roofs, preventing water penetration due to ice dams or wind-driven rain. It can also be used as an underlayment around chimneys, dormers, vent stacks, skylights and other rooftop structures or apertures, around doors and windows.

SYNTHETIC UNDERLAYMENT 2



RoofGard-Cool Grey™




It is lighter than felt and easier to handle, making it faster to install. The synthetic, non-breathable material provides a superior slip-resistant surface. It is easy to install around vents, dormers and other roof structures. And since it's grey instead of black, it absorbs less of the sun's radiant heat during installation. Lay lines every 1 inch aid in shingle course alignment.

STARTERS 3



Leading Edge Plus™



Its efficient use of material provides two strips from every shingle, easily separated along a factory-perforated line. IKO's own high-strength, thermally activated sealant is on every strip, helping ensure wind resistance at that critical first course of shingles.

CAPPING SHINGLES 4



IKO UltraHP™




If you desire high-profile ridge cap shingles to match your premium IKO roof, you should consider UltraHP. Preformed in a ridge cap shape, UltraHP boldly frames your roof with depth and texture.

Armourshake™

DESIGNER



IKO Armourshake is unique in terms of its design, dimensional thickness, weight and exposure. Unlike some other shingles on the market, IKO Armourshake shingles are constructed of two fiberglass mats, laminated together for strength, durability and flexibility. Of all the shingles we produce, IKO Armourshake stands alone in terms of its dimensional thickness, weight and exposure.



INNER STRENGTH.
The strength of this shingle starts within thanks to it's resilient fiberglass mat that is coated top and bottom with weathering asphalt, then surfaced with colored granules.

AN EXCEPTIONAL BONDING EXPERIENCE.
IKO Fastlock™ sealant strips run across the back of the shingle. When activated by the sun's heat, they get extra-tacky and create a strong bond to help ensure maximum protection against wind uplift, blow-off and water penetration.

BUILT-IN ALGAE RESISTANCE.
We embed colorfast algae resistant granules into our shingles to help inhibit the growth of blue-green algae that can cause unattractive black stains, streaks and discoloration.

LAMINATE ADHESIVE.
Three strips of our tough laminating adhesive are used to adhere the two parts of the shingle, the shim and the dragon's teeth, together.

UV-RESISTANT GRANULES. Ceramic-coated, colored granules keep shingles looking beautiful for years.

Armourshake™ DESIGNER



THE IKO ADVANTAGE

Limited Warranty[1]	Limited Lifetime
Iron Clad Protection[1]	15 Years
Limited Wind Warranty[1]	110 mph (177 km/h)
Limited High-Wind Warranty Upgrade[1,2]	130 mph (210 km/h)
Blue-Green Algae Resistant[1]	Yes

PRODUCT SPECIFICATIONS[3]

Length	37 3/8 in (950 mm)
Width	18 1/2 in (470 mm)
Exposure	5 1/2 in (140 mm)
Coverage per Bundle	20 ft² (1.86 m²)

STANDARDS[4]

ASTM D3462
ASTM D3018
ASTM D7158 – Class H
ASTM D3161 – Class F
ASTM E108 – Class A
CSA A123.5

NOTE: Products with Miami Dade NOA, Florida Product Approval and Texas Department of Insurance listings are available. Please contact IKO for details.
[1]See Limited Warranty at IKO.com for complete terms, conditions, restrictions and application requirements. Shingles must be applied in accordance with application instructions and local building code requirements. [2]High-wind application is required. [3]All values shown are approximate. [4]Products developed with reference to these standards.

DESIGNER



Color Featured: **Weathered Stone**














Here's how we improved on Mother Nature.

Some local building codes don't permit roofs of real cedar shakes. IKO Armourshake shingles carry a Class A Fire Resistance rating (ASTM E108), so your home can have all the gorgeousness of genuine wood shakes without all the worry.

WEATHERED STONE
Timeless and elegant, yet warmly welcoming.
PERFECT PAIRINGS: Stone, masonry, wood, brick, siding (especially white, beige, brown, grey or red).



Color Featured: **Weathered Stone**

Get the look of genuine cedar shakes.


Our spectacular color blends give you the freedom to choose the original reddish color of real wood shakes or the weathered, dusty grey appearance they naturally acquire over time. Either way, your new roof will be a thing of lasting beauty.

SHADOW BLACK
Dramatic, refined, modern minimalist or stately traditional.
PERFECT PAIRINGS: Stone, masonry, siding (especially white or grey).

WESTERN REDWOOD
Down-to-earth, genuine, casual.
PERFECT PAIRINGS: Stone, masonry, wood, brick, siding (especially beige, brown or green).









To blend in or stand out? That is the question. If your home is nestled in a woodland setting, our Western Redwood color blend is a natural choice. For urban traditional or contemporary homes, your inner designer might appreciate the monochromatic, minimalist look of Shadow Black or Greystone.



Color Featured: **Shadow Black**

DESIGNER










For a rooftop that stands above the rest.


With the natural look of real wood shakes, Armourshake stands out for its ability to defend your roof against the fierce elements of nature. Wood roofs can turn to grey in as little as five years as the sun strips them of their natural resins. By deflecting harsh sunlight and resisting algae, Armourshake shingles boast a good-as-new appearance years after installation.

Boosting your home's curb appeal might well pay future dividends.

When it's time to sell your home and move on, you could be very happy indeed about the wise investment you've made in choosing IKO Armourshake shingles. In the meantime, just enjoy your neighbors' admiring oohs and ahs.

GREYSTONE
Classically elegant, subtly refined and relaxed.
PERFECT PAIRINGS: Stone, masonry, wood, brick, siding (especially white, red or grey).










Color Featured: **Greystone**

It's important to select a color blend for your roof the same way you'd select a paint color for a room in your home. Like a paint chip, an actual sample of our shingles will help you make the right choice when you see how the colors appear to change as light conditions do.

DESIGNER



Color Featured: **Chalet Wood**









Decision time? Do this first.

CHALET WOOD
Warm, welcoming and natural.
PERFECT PAIRINGS: Stone, masonry, wood, brick, siding (especially cream, beige or grey).

PRO4

ROOFING COMPONENTS

Shingles are your home's first line of defense, but they protect, perform and look their best when you choose IKO PRO4 roofing accessories to go with them.

Armourshake Designer Shingles offer the best results when installed with the recommended integrated **PRO4** roofing accessories that are showcased below.

DECK PROTECTION 1



Goldshield™



It is used for waterproofing under shingled roofs, preventing water penetration due to ice dams or wind-driven rain. It can also be used as an underlayment around chimneys, dormers, vent stacks, skylights and other rooftop structures or apertures, around doors and window.

SYNTHETIC UNDERLAYMENT 2



RoofGard-Cool Grey™




It is lighter than felt and easier to handle, making it faster to install. The synthetic, non-breathable material provides a superior slip-resistant surface. It is easy to install around vents, dormers and other roof structures. And since it's grey instead of black, it absorbs less of the sun's radiant heat during installation. Lay lines every 1 inch aid in shingle course alignment.

STARTERS 3



Armour Starter and Leading Edge Plus™



Armourshake roofs require the use of two starter shingles. First, apply a course of Leading Edge Plus starter strip along the eaves and rakes. This precut starter goes down fast and easy and gives shingle edges a clean, neat appearance. Then, apply Armour Starter, a matching flat-strip shingle that is placed beneath the first course cutouts of Armourshake shingles, along the eaves, to fill in the voids between the teeth.

CAPPING SHINGLES 4




IKO UltraHP™




If you desire high-profile ridge cap shingles to match your premium IKO roof, you should consider UltraHP. Preformed in a ridge cap shape, UltraHP boldly frames your roof with depth and texture.

Royal Estate™

DESIGNER



You can see — and feel — the difference in quality. The thickness of IKO Royal Estate's dimensional profile and deep shadow bands creates the appearance of natural slate tiles in a way that sets them apart. We couldn't have achieved that look without a difference in quality you can actually feel.



TOUGH TO THE CORE.
The strength of our shingles starts within thanks to our resilient, fiberglass mat, coated top and bottom with weathering asphalt, then surfaced with colored granules.

BUILT-IN ALGAE RESISTANCE.
We embed colorfast algae-resistant granules into our shingles to help inhibit the growth of blue-green algae that can cause unattractive black stains, streaks and discoloration.

ALGAE RESISTANT
IKO PERFORMANCE

AN EXCEPTIONAL BONDING EXPERIENCE.
Our shingles have IKO's Fastlock™ sealant along their bottom edge. When activated by the sun's heat, it gets extra-tacky and creates an even stronger bond to help ensure maximum protection against wind uplift, blow-off and water penetration.

LAMINATE ADHESIVE.
Five strips of our tough laminating adhesive are used to adhere the two parts of the shingle, the shim and the dragon's teeth, together.

Royal Estate™

DESIGNER



THE IKO ADVANTAGE

Limited Warranty[1]	Limited Lifetime
Iron Clad Protection[1]	15 Years
Limited Wind Warranty[1]	110 mph (177 km/h)
Limited High-Wind Warranty Upgrade[1,2]	130 mph (210 km/h)
Blue-Green Algae Resistant[1]	Yes

PRODUCT SPECIFICATIONS[3]

Length	40 in (1016 mm)
Width	13 1/4 in (336 mm)
Exposure	5 5/8 in (143 mm)
Coverage per Bundle	33 1/3 ft² (3.1 m²)

STANDARDS[4]

ASTM D3462
ASTM D3018
ASTM D7158 — Class H
ASTM D3161 — Class F
ASTM E108 — Class A
CSA A123.5

[1]See Limited Warranty at IKO.com for complete terms, conditions, restrictions and application requirements. Shingles must be applied in accordance with application instructions and local building code requirements. [2]High-wind application is required. [3]All values shown are approximate. [4]Products developed with reference to these standards.

IKO®

DESIGNER



Color Featured **Mountain Slate**













Who says you can't have it all? When you choose IKO Royal Estate premium shingles you can! They offer you the sought-after, solid good looks of a natural slate tile roof without the associated worries, maintenance and expense.

Designed to make an impressive impact.

Your home will be the envy of the neighborhood no matter which stunning color blend you choose. IKO uses advanced color-blending technology so you can simulate the luxurious look of natural stone tiles on your unique style of home from traditional to contemporary.



MOUNTAIN SLATE
Traditional, elegant, classic.
PERFECT PAIRINGS: Stone, masonry, wood, brick, siding (especially white, beige or grey).







Our homes define us from the inside out.



Color Featured: **Taupe Slate**

The beautiful color blends and ultra high-definition of IKO Royal Estate shingles can speak volumes about your personal sense of style and good taste. Decide what you want to tell the world and let our shingles help you say it.

TAUPE SLATE

Authentic, down-to-earth, dramatic.

PERFECT PAIRINGS: Stone, masonry, wood, brick, siding (especially cream, beige or grey).











DESIGNER



Color Featured: **Taupe Slate**













Your roof can be “slated” for greatness.

Before you decide on the perfect color to complement your style of home, ask to see a sample and an actual roof installation. Watch how the colors appear to change throughout the day and decide on the blend that best coordinates with your siding, trim and other exterior elements.

DESIGNER



Color Featured: **Harvest Slate**









HARVEST SLATE

Warm, welcoming, yet majestic and refined.

PERFECT PAIRINGS: Stone, masonry, wood, brick, siding (especially white, cream or beige).

Ready for your roof to go au naturel?

We've taken great care to mimic the colors of genuine slate, which varies in nature from light greys and browns through their deeper hues into shades of black. These nuances of color combine to create the textured appearance of the natural stone.



SHADOW SLATE
Traditional, natural, sophisticated.
PERFECT PAIRINGS: Stone, masonry, wood, brick, siding (especially white, beige or grey).

DESIGNER



PRO4

ROOFING COMPONENTS

Shingles are your home's first line of defense, but they protect, perform and look their best when you choose IKO PRO4 roofing accessories to go with them.

Royal Estate Designer Shingles offer the best results when installed with the recommended integrated **PRO4** roofing accessories that are showcased below.

DECK PROTECTION 1



Goldshield™



It is used for waterproofing under shingled roofs, preventing water penetration due to ice dams or wind-driven rain. It can also be used as an underlayment around chimneys, dormers, vent stacks, skylights and other rooftop structures or apertures, around doors and windows.

SYNTHETIC UNDERLAYMENT 2



RoofGard-Cool Grey™




It is lighter than felt and easier to handle, making it faster to install. The synthetic, non-breathable material provides a superior slip-resistant surface. It is easy to install around vents, dormers and other roof structures. And since it's grey instead of black, it absorbs less of the sun's radiant heat during installation. Lay lines every 1 inch aid in shingle course alignment.

STARTERS 3



Leading Edge Plus™



Its efficient use of material provides two strips from every shingle, easily separated along a factory-perforated line. IKO's own high-strength thermally activated sealant is on every strip, helping ensure wind resistance at that critical first course of shingles.

CAPPING SHINGLES 4



IKO UltraHP™



If you desire high-profile ridge cap shingles to match your premium IKO roof, you should consider UltraHP. Preformed in a ridge cap shape, UltraHP boldly frames your roof with depth and texture.

Dynasty®

PERFORMANCE






Take one look at this shingle, and you'll see right away it's different. Pick it up and feel its weight.

IKO Dynasty shingles are heavy-duty and built with quality in mind.

ALGAE RESISTANT
IKO PERFORMANCE



CORE STRENGTH.
Our mat is coated top and bottom with weathering asphalt, then surfaced with colored granules. It's heavy-duty for exceptional durability and structural integrity.

BUILT-IN ALGAE-RESISTANCE.
We embed colorfast algae-resistant granules into our shingles to help inhibit the growth of blue-green algae that can cause unattractive black stains, streaks and discoloration.

LAMINATE ADHESIVE.
Five strips of our tough laminating adhesive are used to adhere the two parts of the shingle, the shim and the dragon's teeth, together.

AN EXCEPTIONAL BONDING EXPERIENCE.
Our shingles have our Fastlock™ sealant along their bottom edge. When activated by the sun's heat, it gets extra-tacky and creates a strong bond to help ensure maximum protection against wind uplift, blow-off and water penetration.

ARMOURZONE. Dynasty's tear-resistant band is built into the back of these shingles. The front is marked by a 1 1/4-inch wide nailing surface for correct nail placement. The ArmourZone provides even more fastening strength over a wider surface area of the shingle. Nails applied in this area are optimally positioned to help resist nail pull-through and shingle blow-off, even in high winds.

Dynasty®
PERFORMANCE



THE IKO ADVANTAGE	
Limited Warranty[1]	Limited Lifetime
Iron Clad Protection[1]	15 Years
Limited Wind Warranty[1]	130 mph (210 km/h)
Blue-Green Algae Resistant[1]	Yes

PRODUCT SPECIFICATIONS[2]	
Length	40 7/8 in (1,038 mm)
Width	13 3/4 in (349 mm)
Exposure	5 7/8 in (149 mm)
Coverage per Bundle	33 1/3 ft² (3.1 m²)
3 bundles = 1 full square = 100 sq ft coverage	

STANDARDS[3]
ASTM D3462
ASTM D3018
ASTM D7158 – Class H
ASTM D3161 – Class F
ASTM E108 – Class A
CSA A123.5

NOTE: Products with Miami Dade NOA, Florida Product Approval and Texas Department of Insurance listings are available. Please contact IKO for details.
[1]See Limited Warranty at IKO.com for complete terms, conditions, restrictions and application requirements. Shingles must be applied in accordance with application instructions and local building code requirements. [2]All values shown are approximate. [3]Products developed with reference to these standards.

IKO®

CORNERSTONE

Natural, relaxed, stately, welcoming.

PERFECT PAIRINGS: Stone, wood, brick, masonry, siding (especially cream, beige or grey).

MONACO RED

Bold, dramatic, eye-catching.

PERFECT PAIRINGS: White, grey or beige stone, siding or brick; white, grey, beige or black grey trim.


PERFORMANCE



Color Featured: **Cornerstone**



Colors inspired by nature. Brought to life for you by IKO.



APPALACHIAN
Casual, informal, relaxed, yet understated.
PERFECT PAIRINGS: Stone, wood, brick, siding (especially white, light to dark grey, medium to dark blue).

ATLANTIC BLUE[4]
Enduring, daring, different.
PERFECT PAIRINGS: White or grey siding, stone; white or grey trim.

BROWNSTONE
Rustic charm, sophisticated urban chic.
PERFECT PAIRINGS: Stone, brick, wood, siding (especially light, medium or dark brown, cream or grey).

[4]Blue granules may fade after extensive exposure to the sun's ultraviolet rays.

















IKO Dynasty performance laminated shingles are designed to broadcast your sense of personal style to the entire neighborhood. Say it loud and proud with our ultra-high-definition quality shingles.


PERFORMANCE




Color Featured: **Biscayne**









Hi-def.
It's not just for TVs.

BISCAYNE
Laid-back, welcoming, carefree.
PERFECT PAIRINGS: Stone, wood, brick, siding (especially white or various pastels).

IKO Dynasty shingles. When it pours, they reign.

SHADOW BROWN
Transitional shades and earthy tones.
PERFECT PAIRINGS: Stone, wood, masonry, brick, siding (especially brown, grey or cream).

GLACIER
Stately, formal, elegant, traditional.
PERFECT PAIRINGS: Stone, brick, masonry, siding (especially white, dove-grey or midnight-blue).

GRANITE BLACK
Formal, classic, urban chic, traditional, elegant.
PERFECT PAIRINGS: Stone, brick, masonry, siding (especially red, white or grey).

FROSTONE GREY
Clean, contemporary, upscale, unexpected.
PERFECT PAIRINGS: Natural stone, grey masonry, grey or white siding.




CASTLE GREY
Formal, traditional, sophisticated, elegant, impressive.
PERFECT PAIRINGS: Stone, wood, brick, siding (especially white or various pastels).

EMERALD GREEN
Earthy, natural, soothing.
PERFORMANCE PAIRINGS: Log, wood or earth-tone composite siding, brick (especially red); brown, black or dark green trim.



Color Featured: **Castle Grey**

PERFORMANCE



DRIFTSHAKE
Warmly casual, relaxed, breezy.
PERFECT PAIRINGS: Stone, logs, brick, wood, siding (especially brown),

PACIFIC RIM
Dramatic, adventurous, bold, daring.
PERFECT PAIRINGS: Stone, wood, brick, (especially red or grey).

SEDONA
Warm, inviting, expansive, dramatic, yet casual, too.
PERFECT PAIRINGS: Logs, wood siding, brick (especially red).



















PRO4

ROOFING COMPONENTS

Shingles are your home's first line of defense, but they protect, perform and look their best when you choose IKO PRO4 roofing accessories to go with them.

Dynasty Performance Shingles offer the best results when installed with the recommended integrated **PRO4** roofing accessories that are showcased below.

DECK PROTECTION 1



ArmourGard™



It is used for waterproofing under shingled roofs, preventing water penetration due to ice dams or wind-driven rain. It can also be used as an underlayment around chimneys, dormers, vent stacks, skylights and other rooftop structures or apertures, around doors and windows.

SYNTHETIC UNDERLAYMENT 2



RoofGard-Cool Grey™




It is lighter than felt and easier to handle, making it faster to install. The synthetic, non-breathable material provides a superior slip-resistant surface. It is easy to install around vents, dormers and other roof structures. And since it's grey instead of black, it absorbs less of the sun's radiant heat during installation. Lay lines every 1 inch aid in shingle course alignment.

STARTERS 3



Leading Edge Plus™



Its efficient use of material provides two strips from every shingle, easily separated along a factory-perforated line. IKO's own high-strength thermally activated sealant is on every strip, helping ensure wind resistance at that critical first course of shingles.

CAPPING SHINGLES 4



IKO UltraHP™



If you desire high-profile ridge cap shingles to match your performance IKO roof, you should consider UltraHP. Preformed in a ridge cap shape, UltraHP boldly frames your roof with depth and texture.

Nordic™

PERFORMANCE







We designed IKO Nordic shingles to make — and take — an impact. Extreme weather calls for extreme weather protection. And Nordic's unique combination of superior wind- and impact-resistant features makes it one of the top-performing asphalt shingles on the market.

AN EXCEPTIONAL BONDING EXPERIENCE. You want your new shingles to stay put. If the wind lifts them up, water can sneak in underneath, potentially causing a leaky roof. Our Fastlock™ sealant along the bottom edges helps prevent this. When activated by the sun's heat, this sealant gets extra-tacky and creates a strong bond to help ensure maximum protection against wind uplift, blow-off and water penetration.

LAMINATE ADHESIVE. Five strips of our tough laminating adhesive are used to adhere the two parts of the shingle, the shim and the dragon's teeth, together.



POLYMER-MODIFIED ASPHALT. CLASS 4 IMPACT RESISTANCE RATING.[4] These shingles are engineered to provide superior protection against wind uplift and water penetration. IKO Nordic's polymer-modified asphalt coating acts like a shock absorber, qualifying the shingle for a Class 4 impact resistance rating[4] against hail.

BUILT-IN ALGAE RESISTANCE. We embed colorfast algae-resistant granules into our shingles to help inhibit the growth of blue-green algae that can cause unattractive black stains, streaks and discoloration.

TEAR-RESISTANT BAND. (BACK)

WHAT IS AN ARMOURZONE? (FRONT) It's a 1 1/4-inch wide nailing surface for correct nail placement, reinforced by a tear-resistant, woven band that provides even more fastening strength over a wider surface area of the shingle. Nails applied in this area are optimally positioned to resist nail pull-through and shingle blow-off, even in high winds.

Nordic™

PERFORMANCE







THE IKO ADVANTAGE

Limited Warranty[1]	Limited Lifetime
Iron Clad Protection[1]	15 Years
Limited Wind Warranty[1]	130 mph (210 km/h)
Blue-Green Algae Resistant[1]	Yes


PRODUCT SPECIFICATIONS[2]


Length	40 7/8 in (1,038 mm)
Width	13 3/4 in (349 mm)
Exposure	5 7/8 in (149 mm)
Coverage per Bundle	33 1/3 ft² (3.1 m²)
3 bundles = 1 full square = 100 sq. ft. coverage	

STANDARDS[3]

- ASTM D3462
- ASTM D3018
- ASTM D7158 — Class H
- ASTM D3161 — Class F
- ASTM E108 — Class A
- CSA A123.5
- FM 4473 — Class 4*


[1]See Limited Warranty at IKO.com for complete terms, conditions, restrictions and application requirements. Sthingles must be applied in accordance with application instructions and local building code requirements. [2]All values shown are approximate. [3]Products developed with reference to these standards. [4]This impact rating is solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. It is not to be construed as any type of express or implied warranty or guarantee of the impact performance of this shingle by the manufacturer, supplier or installer. For further details concerning the FM 4473 standards, see [https://www.iko.com/na/publication/specification-test-standard-impact-resistance/wppa_open] (current as of 6/22/16).











These heavy-duty laminated architectural shingles are specially constructed to help your roof resist the impact of hail*.

CASTLE GREY
Formal, traditional, sophisticated, elegant, impressive.
PERFECT PAIRINGS: Stone, wood, brick, siding (especially white or various pastels).

DRIFTSHAKE
Warmly casual, relaxed, breezy.
PERFECT PAIRINGS: Stone, logs, brick, wood, siding (especially brown).

SEDONA
Warm, inviting, expansive, dramatic, yet casual, too.
PERFECT PAIRINGS: Logs, wood siding, brick (especially red).

*This is not a guarantee of impact resistance against hail and is not covered under the limited warranty. This impact rating is solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. It is not to be construed as any type of express or implied warranty or guarantee of the impact performance of this shingle by the manufacturer, supplier or installer. For further details concerning the FM 4473 standards, see [https://www.iko.com/na/publication/specification-test-standard-impact-resistance/wppa_open] (current as of 6/22/16).

Eye-catching, high-definition color blends create an artful roofline with IKO Nordic shingles and complementary roofing accessories. **Built-in blue-green algae resistance** will help keep them looking their best.


CORNERSTONE
Natural, relaxed, stately, welcoming.
PERFECT PAIRINGS: Stone, wood, brick, masonry, siding (especially cream, beige or grey).

FROSTONE GREY
Monochromatic, neutral, chic, sophisticated.
PERFECT PAIRINGS: Stone, masonry, brick, siding (especially white, light or dark grey).



PERFORMANCE






GLACIER
Stately, formal, elegant, traditional.
PERFECT PAIRINGS: Stone, brick, masonry, siding (especially white, dove-grey or midnight-blue).

GRANITE BLACK
Formal, classic, urban chic, traditional, elegant.
PERFECT PAIRINGS: Stone, brick, masonry, siding (especially red, white or grey).

SHADOW BROWN
Transitional shades and earthy tones. Classic or contemporary elegance.
PERFECT PAIRINGS: Stone, wood, masonry, brick, siding (especially brown, grey or cream).

BROWNSTONE
Rich, warm and earthy, with unexpected, but exciting, dramatic accents.
PERFECT PAIRINGS: Brick, stone, masonry, logs, siding (especially cream or beige).



PRO4

ROOFING COMPONENTS

Shingles are your home's first line of defense, but they protect, perform and look their best when you choose IKO PRO4 roofing accessories to go with them.

Nordic Performance Shingles offer the best results when installed with the recommended integrated **PRO4** roofing accessories that are showcased below.

DECK PROTECTION 1



ArmourGard™



It is used for waterproofing under shingled roofs, preventing water penetration due to ice dams or wind-driven rain. It can also be used as an underlayment around chimneys, dormers, vent stacks, skylights and other rooftop structures or apertures, around doors and windows.

SYNTHETIC UNDERLAYMENT 2



RoofGard-Cool Grey™




It is lighter than felt and easier to handle, making it faster to install. The synthetic, non-breathable material provides a superior slip-resistant surface. It is easy to install around vents, dormers and other roof structures. And since it's grey instead of black, it absorbs less of the sun's radiant heat during installation. Lay lines every 1 inch aid in shingle course alignment.

STARTERS 3



Leading Edge Plus™



Its efficient use of material provides two strips from every shingle, easily separated along a factory-perforated line. IKO's own high-strength thermally activated sealant is on every strip, helping ensure wind resistance at that critical first course of shingles.

CAPPING SHINGLES 4



IKO UltraHP™ IR



Our specially constructed ridge cap shingles are designed to provide a high-quality alternative to using cut-up roof shingles to protect this important area. The "HP" stands for "High Profile," which means that they're also designed to add dimension, depth and texture to your roofline and rakes.

IKO UltraHP™ IR hip and ridge shingles have a Class 4 impact resistance rating tested against UL 2218, which IKO is pleased to present for the sole purpose of enabling homeowners using these shingles in conjunction with Class 4 impact resistance rated shingles to obtain a discount on their home insurance premiums, if available in their area. This rating is not to be construed as any type of express or implied warranty or guarantee of the impact performance of this shingle by the manufacturer, supplier or installer.

Cambridge™

ARCHITECTURAL







Quality features are built into every Cambridge shingle. Touch it. Feel its weight. Check that the cut is precise. IKO Cambridge shingles are built heavy-duty. It's a difference you can see and feel.



BUILT-IN ALGAE RESISTANCE. We embed colorfast algae-resistant granules into our shingles to help inhibit the growth of blue-green algae that can cause unattractive black stains, streaks and discoloration.

ALGAE RESISTANT
IKO PERFORMANCE

CORE STRENGTH. Our fiberglass mat is coated top and bottom with weathering asphalt, then surfaced with colored granules. It's heavy-duty for exceptional durability and structural integrity.

LAMINATE ADHESIVE. Five strips of our tough laminating adhesive are used to adhere the two parts of the shingle, the shim and the dragon's teeth, together.

THE ONLY TIME IT'S GOOD TO BE TACKY. You want your new shingles to stay put. If the wind lifts them up, water can sneak in underneath and may cause a leaky roof. Our shingles have IKO's Fastlock™ sealant along their bottom edges. When activated by the sun's heat, it gets extra-tacky and creates a strong bond to help ensure maximum protection against wind uplift, blow-off and water penetration.

BLOW-OFF PROTECTION. Printed nail line guides installers to fasten the shingles correctly, to help keep the shingles on the roof and prevent them from blowing off in high wind.

Cambridge™

ARCHITECTURAL







THE IKO ADVANTAGE

Limited Warranty[1]	Limited Lifetime
Limited Wind Warranty[1]	110 mph (177 km/h)
Limited High-Wind Warranty Upgrade[1,2]	130 mph (210 km/h)
Blue-Green Algae Resistant[1]	Yes

PRODUCT SPECIFICATIONS[3]

Length	40 7/8 in (1,038 mm)
Width	13 3/4 in (349 mm)
Exposure	5 7/8 in (149 mm)
Coverage per Bundle	33 1/3 ft² (3.1 m²)
3 bundles = 1 full square = 100 sq. ft. coverage	

STANDARDS[4]

- ASTM D3462
- ASTM D3018
- ASTM D7158 – Class H
- ASTM D3161 – Class F
- ASTM E108 – Class A
- CSA A123.5

NOTE: Not all products are available in all regions. [1]See Limited Warranty at IKO.com for complete terms, conditions, restrictions and application requirements. Shingles must be applied in accordance with application instructions and local building code requirements. [2]High-wind application is required. [3]All values shown are approximate. [4]Products developed with reference to these standards.


IKO®

Above all, your new roof must protect the family who lives under it.

ARCHITECTURAL



Color Featured: **Duel Black**



Think of your roof as an all-weather coat.

Sure, you need a coat to keep you warm and dry, but wouldn't you love one that makes you and your home look phenomenal, too? The right shingle cut-and-color combo can reflect your sense of personal style.

DUAL BLACK
Dramatic, stately, contemporary.
PERFECT PAIRINGS: Grey or neutral siding or stone; white trim.

HARVARD SLATE
Historic, eloquent, majestic.
PERFECT PAIRINGS: White or grey stone, brick or siding; black, white or grey trim.


SUPER WHITE[5,6]
Unique, bold, brilliant.
PERFECT PAIRINGS: White, grey or beige siding, natural stone; white or grey trim.


WEATHERWOOD
Rustic, informal, laid-back.
PERFECT PAIRINGS: Log, beige stone or brick (especially red) facings; brown trim.

DUAL GREY
Upscale, from casual comfort to modern chic.
PERFECT PAIRINGS: White or grey stone, brick or siding; black, white or grey trim.

[5]Limited availability in U.S. and Canada.
[6]Super White is CRRC® listed and ENERGY STAR® qualified in U.S.




DUAL BROWN



ARCHITECTURAL









DUAL BROWN
Earthy, organic, rustic, laid-back, casual.
PERFECT PAIRINGS: Log, beige stone or brick (especially red) facings; brown trim.

BEACHWOOD[5]
Casual, laid-back, rustic.
PERFECT PAIRINGS: Log, beige stone facing, beige or pastel siding; brown trim.

[5]Limited availability in U.S. and Canada.


BEACHWOOD[5]

AGED REDWOOD
Rustic casual or stately, elegant.
PERFECT PAIRINGS: Log, beige stone or brick (especially red) facings; brown trim.

DRIFTWOOD
Versatile, dark and handsome.
PERFECT PAIRINGS: Log, wood siding, stone or brick facings; brown or black trim.

CHARCOAL GREY
Bold, dramatic, timeless.
PERFECT PAIRINGS: White or grey stone, brick or siding; black, white or grey trim.

EARTHTONE CEDAR
Down-to-earth, relaxed, casual.
PERFECT PAIRINGS: Log, beige stone or brick facings; brown trim.



PRO4

ROOFING COMPONENTS

Shingles are your home's first line of defense, but they protect, perform and look their best when you choose IKO PRO4 roofing accessories to go with them.

Cambridge Architectural Shingles offer the best results when installed with the recommended integrated **PRO4** roofing accessories that are showcased below.

DECK PROTECTION 1



StormShield®



It is an economical, modified bitumen roll roofing product that protects critical roof areas that are most susceptible to water leakage caused by ice dams and wind-driven rain. When properly applied, this self-adhesive membrane creates a watertight seal, and its tear-resistant properties ensure that it will protect against potential ice and water damage for the long term.

SYNTHETIC UNDERLAYMENT 2



Stormtite®




It is IKO's economical synthetic underlayment choice. Stronger than conventional felts, Stormtite installs easily, even in cool weather, due to its light weight. Stormtite is the perfect combination of strength and flexibility.

STARTERS 3



Leading Edge Plus™



Its efficient use of material provides two strips from every shingle, easily separated along a factory-perforated line. IKO's own high-strength thermally activated sealant is on every strip, helping ensure wind resistance at that critical first course of shingles.

CAPPING SHINGLES 4



IKO Hip and Ridge / IKO Hip&Ridge 12™ / IKO Hip&Ridge Plus™



These perforated traditional hip and ridge shingle offerings are available in colors that pair with our most popular laminate shingles. Installation is super easy by simply bending and nailing in place.

Cambridge™ *Cool Colors™*

ARCHITECTURAL







Elevate your home's look and help reduce its carbon footprint. Every shingle in the IKO Cambridge Cool Colors series is built heavy-duty. You can see and feel the difference. Touch one. Feel its weight. See how the quality is built right in.



COOL ROOF REQUIREMENT COMPLIANCE. IKO embeds surface granules that are specially designed with infrared-reflective pigments to transmit less of the sun's solar energy or radiant heat into homes' attics. This helps keep homes cooler and more energy-efficient.

BLOW-OFF PROTECTION.
Printed nail line guides installers to fasten the shingles correctly, to help keep the shingles on the roof and prevent them from blowing off in high wind.

LAMINATE ADHESIVE.
Five strips of our tough laminating adhesive are used to adhere the two parts of the shingle, the shim and the dragon's teeth, together.

THE ONLY TIME IT'S GOOD TO BE TACKY.
You want your new shingles to stay put. If the wind lifts them up, water can sneak in underneath and may cause a leaky roof. Our shingles have IKO's Fastlock™ sealant along their bottom edges. When activated by the sun's heat, it gets extra-tacky and creates a strong bond to help ensure maximum protection against wind uplift, blow-off and water penetration.

THIS SHINGLE'S CORE STRENGTH IS ITS FIBERGLASS MAT.
Our fiberglass mat is coated top and bottom with weathering asphalt, then surfaced with colored granules. It's heavy-duty for exceptional durability and structural integrity.

Cambridge™ Cool Colors™

ARCHITECTURAL



THE IKO ADVANTAGE

Limited Warranty[1]	Limited Lifetime
Limited Wind Warranty[1]	110 mph (177 km/h)
Limited High-Wind Warranty Upgrade[1,2]	130 mph (210 km/h)
Blue-Green Algae Resistant[1,5]	Yes (Dual Grey Only)

PRODUCT SPECIFICATIONS[3]

Length	40 7/8 in (1,038 mm)
Width	13 3/4 in (349 mm)
Exposure	5 7/8 in (149 mm)
Coverage per Bundle	33 1/3 ft² (3.1 m²)
Shingles per Square	60

STANDARDS[4]

- ASTM D3462
- ASTM D3018
- ASTM D7158 – Class H
- ASTM D3161 – Class F
- ASTM E108 – Class A
- CSA A123.5
- CRRC-1 SRI of 16+
- CRRC-1 SRI of 20+

Note: Product and color availability may vary by region. [1]See Limited Warranty at IKO.com for complete terms, conditions, restrictions and application requirements. Shingles must be applied in accordance with application instructions and local building code requirements. [2]High-wind application is required. [3]All values shown are approximate. [4]Products developed with reference to these standards. [5]Only Dual Grey features an algae-resistant granule that helps inhibit discoloration caused by blue-green algae.

ARCHITECTURAL



Color Featured: **Dual Grey**









Beauty and solar reflectance. Now elevated even more.

To achieve an SRI of 20[6] or greater, in its medium- and dark-toned shingles, IKO embeds surface granules that are specially designed with infrared-reflective pigments to transmit less of the sun's solar energy or radiant heat into your home's attic. This helps keep your home cooler and more energy-efficient. How much you can potentially save will depend on your location, climate, HVAC, utility rates and other factors.

[6]Shingles with an SRI of 20+ can be used to comply in lieu of meeting the aged solar reflectance and thermal emittance requirements. For further details and to determine if the LA City and County requirements apply to your roof, please check with your local building department or visit the LA County website.

Cool Plus Shingles

Indulge your inner "exterior" designer with these unexpected and fabulous dark color blends. Our top-of-the-line cool roofing shingles can provide eye-popping contrast or help your home blend harmoniously into its natural surroundings. Either way, they offer an SRI of 20 or greater, so your energy bill can look more beautiful too.

WEATHERWOOD•COOL PLUS
Rustic, informal, laid-back.
PERFECT PAIRINGS: Log, beige stone or brick (especially red) facings; brown trim.

HARVARD SLATE•COOL PLUS
Historic, eloquent, majestic, stately.
PERFECT PAIRINGS: White or grey stone, brick or siding; black, white or grey trim.

DUAL BROWN•COOL PLUS
Earthy, organic, rustic, laid-back, casual.
PERFECT PAIRINGS: Log, beige stone or brick (especially red) facings, brown trim.

GRAPHITE BLACK•COOL PLUS
Dramatic, elegant, contemporary.
PERFECT PAIRINGS: Grey, cream or neutral siding, stone or masonry; white, grey or black trim.



IKO has the answer for homeowners who want increased solar reflectance[7] in an attractive dark-colored shingle — all at an affordable price. Boost your roof's solar reflectivity by 25% over the Title 24, Part 6, minimum standard of SRI 16 for steep-sloped roofs with our NEW SRI 20+ darker shingles.

Cool Shingles

The earthy, medium-range golden tones of these color blends will be equally at home in a rustic or urban setting, depending on the style of architecture and other exterior elements. With their SRI of 20 or greater, they'll help your home feel as cool as it looks.

SAND DUNE•COOL
Welcoming, traditional, handsome.
PERFECT PAIRINGS: Log, wood siding, stone or brick facings; brown or black trim.

CANYON OAK•COOL
Down-to-earth, relaxed, casual.
PERFECT PAIRINGS: Log, beige stone or brick facings, brown trim.

[7]Solar Reflectance is the roof's ability to reflect solar energy. SRI values range from 0 to 100 — and the higher the SRI, the better the roofing material's ability to reduce heat transfer into the home. Solar Reflectance Index (SRI) is calculated by ASTM E1980.







Natural Cool Shingles


The shingles in this line represent our lightest-hued color blends and remain an affordable choice in California locations where local roof reflectance requirements demand an SRI of 16+.













Please note that our Arctic White color boasts an SRI of 23. If blue-green algae resistance is important in your area, you might opt for the Dual Grey color blend.



AMBER BURST•NATURAL COOL
Sunny, casual, inviting.
PERFECT PAIRINGS: Log, beige stone or brick facings, brown or white trim.

ARCTIC WHITE•NATURAL COOL
Contemporary, bold, brilliant.
PERFECT PAIRINGS: White, grey or beige siding, natural stone, white or grey trim.

DUAL GREY[5]•NATURAL COOL
Upscale, from casual comfort to modern chic.
PERFECT PAIRINGS: White or grey stone, brick or siding; black, white or grey trim.

[5]Only Dual Grey features an algae-resistant granule that helps inhibit discoloration caused by blue-green algae.

PRO4

ROOFING COMPONENTS

Shingles are your home's first line of defense, but they protect, perform and look their best when you choose IKO PRO4 roofing accessories to go with them.

Cambridge Cool Colors Architectural Shingles offer the best results when installed with the recommended integrated **PRO4** roofing accessories that are showcased below.

DECK PROTECTION 1



StormShield®



It is an economical, modified bitumen roll roofing product that protects critical roof areas that are most susceptible to water leakage caused by ice dams and wind-driven rain. When properly applied, this self-adhesive membrane creates a watertight seal, and its tear-resistant properties ensure that it will protect against potential ice and water damage for the long term.

SYNTHETIC UNDERLAYMENT 2



Stormtite®




It is IKO's economical synthetic underlayment choice. Stronger than conventional felts, Stormtite installs easily, even in cool weather, due to its light weight. Stormtite is the perfect combination of strength and flexibility.

STARTERS 3



Leading Edge Plus™



Its efficient use of material provides two strips from every shingle, easily separated along a factory-perforated line. IKO's own high-strength thermally activated sealant is on every strip, helping ensure wind resistance at that critical first course of shingles.

CAPPING SHINGLES 4



IKO UltraHP™



If you desire high-profile ridge cap shingles to match your premium IKO roof, you should consider UltraHP. Preformed in a ridge cap shape, UltraHP boldly frames your roof with depth and texture.

Residential Roofing

To find out more about Residential Roofing Products, please talk to an IKO sales representative or a professional roofing contractor, or contact IKO directly.

United States **1-888-IKO-ROOF**
(1-888-456-7663)
Canada **1-855-IKO-ROOF**
(1-855-456-7663)

Visit us online at: **IKO.COM.**

***To ensure complete satisfaction,** please view several full-size shingles and an actual roof installation prior to final color selection as the shingle swatches and photography shown online, in brochures and in our app may not accurately reflect shingle color, and do not fully represent the entire color blend range, nor the impact of sunlight. The information in this literature is subject to change without notice. We assume no responsibility for errors that may appear in this literature.

© Copyright 01/20 · MR9L103