

















The look that lasts.

Thick, ruggedly beautiful **Woodcrest*** Shingles are designed to enhance your home with the natural appearance and texture of wood shake but with greater durability and less maintenance. They also offer peace of mind by meeting the highest fire resistance standards in the industry. Best of all, Woodcrest* Shingles are available in a variety of distinctive color blends that are inspired by nature but not limited by it — giving your roof a pop of color you can't get from real wood. To add even more dimension and style to your home, be sure to pair your Woodcrest* Shingles with our color-matched Owens Corning* Hip & Ridge Shingles.

- Limited Lifetime Warranty*/‡ for as long as you own your home
- 110/130** MPH Wind Resistance Limited Warranty*
- StreakGuard[™] Protection with a 10-year Algae Resistance Limited Warranty.*


Home sweet home.

Home is where you want to feel the most comfortable and protected. It can be a source of pride and an expression of your personality. But when the time comes to purchase a new roof, it's easy to feel overwhelmed. Don't worry. Owens Corning Roofing and your contractor are here to help. We'll make it easy for you to select the right shingle for your type of home and sense of style. You can feel confident about choosing our roofing products — Owens Corning has been a recognized leader in the building industry for over 75 years. And we take pride in being America's most trusted Roofing Brand.

By choosing Woodcrest* Shingles, you can transform your entire home with a natural, wood-shake look that will last for years to come. This is your chance to choose a roof that not only has outstanding performance and protection, but also provides exceptional beauty and comfort. So you'll feel right at home every time you pull in the driveway.

Protected. Proud. Home.





Carbon[†]



Chestnut[†]



 $Granite^{\dagger}$



Mesquite[†]



Sycamore



 $Timber^{\scriptscriptstyle \dagger}$




TOTAL PROTECTION. TOTAL CONFIDENCE[®].

The most important part of the roof? All of them.



It takes more than just shingles to protect a home. It takes an integrated system of components and layers designed to withstand the forces of nature outside while controlling

temperature and humidity inside. The Owens Corning* Total Protection Roofing System* A gives your customers the assurance that all of their Owens Corning* roofing components are working together to help increase the performance of the roof — and to enhance the comfort and enjoyment of those who live beneath it.



PINK® FIBERGLAS® BLOWN-IN ATTIC INSULATION



OWENS CORNING ROOFING AND ASPHALT, LLCONE OWENS CORNING PARKWAY TOLEDO, OHIO, USA 43659

1-800-GET-PINK® www.owenscorning.com/roofing

Pub. No. 10003278-P. Printed in U.S.A. September 2019.
THE PINK PANTHER™ & © 1964-2019 Metro-Goldwyn-Mayer Studios Inc.
All Rights Reserved. The color PINK is a registered trademark of Owens Corning.
© 2019 Owens Corning. All Rights Reserved.

(Brookville, Denver, Irving, Minneapolis, Portland, Summit)

Product Attributes

Warranty Length*

Limited Lifetime[‡] (for as long as you own your home)

Wind Resistance Limited Warranty*

110/130** MPH

Algae Resistance Limited Warranty*

10 Years

TRU PROtection® Non-Prorated Limited Warranty* Period

10 Years

Woodcrest[®] Shingles Product Specifications

Size	14 ¹ / ₄ " x 40"
Weight	350 lbs.
Application Exposure	4"
Shingles per Bundle	15
Shingle Count per 6 Bundles	90
Coverage per 6 Bundles	100 sq. ft.

WoodStart* Starter Shingles Product Specifications

Nominal Size	40" x 13 ³ / ₈ "
Pieces per Bundle	16
Lineal Feet per Bundle	53.33

Applicable Standards and Codes

ASTM D228

ASTM D3018 (Type 1)

ASTM D3161 (Class F Wind Resistance)

ASTM D3462

ASTM D7158 (Class H Wind Resistance)

ASTM E108/UL 790 (Class A Fire Resistance)

CSA A123.5⁺⁺

ICC-ES AC438#

PRI ER 1378E01

- * See actual warranty for complete details, limitations and requirements.
- † Actual colors and granule blends may vary from the photo. We suggest that you view actual product on the roof to get a better idea of the finish color. Color availability subject to change without notice. Ask your professional roofing contractor for samples of colors available in your area.
- ** 130 MPH is applicable only with Owens Corning* Starter Shingle product application along eaves and rakes in accordance with installation instructions. Refer to installation instructions for complete details...
- ‡ 40-Year Limited Warranty on commercial projects.
- tt Only on product sold in Canada.
- # 2018 Roofing Brand Awareness Study by Owens Corning Roofing and Asphalt, LLC.
- # International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.
- ^ Excludes non-Owens Corning* roofing products such as flashing, fasteners, pipe boots and wood decking.

Shingles are algae resistant to help control the growth of algae and discoloration.

Disclaimer of Liability

Technical information contained herein is furnished without charge or obligation and is given and accepted at recipient's sole risk. Because conditions of use may vary and are beyond our control, Owens Corning makes no representation about, and is not responsible or liable for the accuracy or reliability of data associated with particular uses of any product described herein.