

MONOGRAM[®] XL

Extended Length Siding

CertainTeed
SAINT-GOBAIN



←

Monogram XL 25 – 25 Feet

(Double 4" Clapboard only)



←

Monogram XL 20 – 20 Feet

(Double 4" Clapboard only)



←

Monogram XL 16 –



First in brand use


Year after year, CertainTeed Siding has been **Rated #1 in Brand Use** by remodelers, builders, architects and consumers.



On Cover:

Siding: Monogram Double 5" Clapboard in cypress.

Trim: Vinyl Carpentry® & Restoration Millwork®.



Monogram® XL is a comprehensive system of value-added features with unique benefits that combine to create a truly extraordinary siding. Monogram continues to lead the way in innovation through many important industry firsts.

Monogram® Extended Length Siding has the same great benefits as traditional length Monogram®, plus it reduces seams.

◆ **Two Classic Styles** – Three Extended Length Choices:
Double 4" Rough Cedar Clapboard, 16' 8", 20' or 25'.
Double 5" Rough Cedar Dutchlap, 16'.

◆ **Heavy-Duty .046" Thickness.**

◆ **TrueTexture™** rough cedar finish molded from real cedar boards. →

◆ **STUDfinder™** is designed for accurate and secure installation.

◆ **RigidForm™ 220 technology** has been tested* to withstand wind load pressures up to 220 mph.

◆ **CertiLock™** self-aligning, post-formed positive lock.

◆ **18 low-gloss colors** with a wide variety of coordinating trim.

◆ **Virtually maintenance free**, never needs painting.

◆ **Class 1(A)** fire rating.

◆ **Lifetime** limited warranty.

◆ Works with traditional length Monogram panels.



Shown Above:

Siding: Monogram Double 4" Clapboard in natural clay.

Trim: Vinyl Carpentry® & Restoration Millwork®.

16 Feet




Traditional Siding Panel – 12 Feet 6 Inches



The Difference is Seamlessly Clear Two Story Wall, 25' Wide

Long on Looks

With traditional 12' siding panels, seams appear every two to three feet. Monogram's extended length panels can significantly reduce seams.



The STUDfinder™ Installation System

Monogram was the first siding engineered to include an integral installation guide on each panel. From the first nail to the last, the patented STUDfinder™ system is designed to help ensure a precise installation for optimum siding performance.


Indicator letters help:

- Determine location of studs
- Ensure nails are positioned correctly
- Ensure correct number of nails are used.




Security and Performance


- Nailing to studs provides a strong and secure connection
- Protects against blow offs from under nailing
- Protects against buckling from over nailing
- Helps avoid nailing into hazardous items between studs like plumbing or wiring




WITH STUDFINDER



POSSIBLE OUTCOME WITHOUT STUDFINDER



16"



A Comprehensive System of Value-Added Features

RigidForm™ 220

This double thick .092" rolled-over nail hem design increases wind resistance and stiffens the panel. This design has been tested* to withstand wind load pressures up to 220 mph.

* Wind load rating per VSI wind speed calculation guidelines.



Color performance, impact resistance and durability are assured through our exclusive PermaColor™ System, a blend of our own Certavin™ resin, superior micro-ingredients and state-of-the-art pigment chemistry.



| | Double 4" Clapboard | Double 5" Dutchlap |
|-----------------------|---------------------|--------------------|
| NEW COLOR Brownstone* | ● | ● |
| NEW COLOR Melrose* | ● | ● |
| Slate* | ● | ● |
| Espresso* | ● | ● |
| Sable Brown* | ● | ● |
| Spruce* | ● | ● |
| Midnight Blue* | ● | ● |
| Pacific Blue* | ● | ● |
| Charcoal Gray* | ● | ● |
| Castle Stone | ● | ● |
| Granite Gray | ● | ● |
| Sterling Gray | ● | ● |
| Oxford Blue | ● | ● |
| Cypress | ● | ● |
| Natural Clay | ● | ● |
| Savannah Wicker | ● | ● |
| Heritage Cream | ● | ● |
| Colonial White | ● | ● |

CertiLock™

The exclusive CertiLock™ locking system features self-aligning multiple bends that snap together with an audible "click" to ensure a secure fit and more consistent installation.

Heavy-Duty .046" Thickness

Monogram XL panels feature a true .046" thickness for outstanding strength and durability.

3/4" Panel Projection

A 3/4" panel projection provides excellent rigidity for straighter-on-the-wall performance.



Start exploring preset color combinations and create your own custom exterior with on-line, interactive tools, designed to help you "Visualize Your Home".

Start now at certainteed.com/colortools

* DELUXE COLORS

NOTE: Colors throughout this brochure are simulated. Consult product samples before final selection.

CertainTeed products are designed to work together and complement each other in color and style to give any home a beautiful finished look.



POLYMER SHAKES & SHINGLES



VINYL SIDING



INSULATED SIDING



SOFFIT



PVC EXTERIOR TRIM & BEADBOARD



VINYL CARPENTRY® TRIM



STONE



HOUSEWRAP



ROOFING AND VENTILATION



DECKING AND RAILING



MOLDED FENCE



EXTRUDED FENCE



facebook.com/certainteedCurbAppeal



[YouTube youtube.com/ctCurbAppeal](https://youtube.com/ctCurbAppeal)



CertainTeed Corporation

CEILING • DECKING • FENCE • GYPSUM • INSULATION • RAILING • ROOFING • SIDING • TRIM

20 Moores Road Malvern, PA 19355 Professional: 800-233-8990 Consumer: 800-782-8777 certainteed.com

© 01/19 CertainTeed Corporation, Printed in the USA, Code No. CTS112