

T-LOK BARKWOOD® > VINYL SIDING



Mastic products are backed by Ply Gem — a 75-year leader in pioneering performance home exteriors, with a superior warranty for exactly the home you want for decades to come. Homeowners can feel confident knowing Ply Gem always goes the extra mile. From innovative engineering to trend setting design and industry leading warranties, we're a company you can trust with products you'll love.



classic beauty

COVER IMAGE: T-Lok Barkwood Double 4" in English Wedgewood
THIS PAGE: T-Lok Barkwood in Everest



No paint. No stain. No hassles. That's the lasting appeal of T-Lok Barkwood® — an industry best seller for 30+ years thanks to its distinctive woodgrain, attractive lines and superior quality. With an advanced locking system and premium .048 nominal thickness, it's wind-speed rated up to 165 mph. For time-tested technology, style and proven performance, accept only the original T-Lok Barkwood.

VINYL SIDING GIVES HOMEOWNERS WHAT THEY WANT.

■ IMPORTANT ■ NEUTRAL ■ NOT IMPORTANT (%)

(Independent study conducted by Vernon Research Group, 2005)



Is it any wonder that vinyl siding is chosen more than any other exterior cladding in the U.S. and Canada?

¹ vinylsiding.org
December 14, 2009



T-Lok Barkwood Delivers.

DURABILITY. If you're looking for siding that is durable and low maintenance, and looks beautiful, T-Lok Barkwood siding is the ideal choice. T-Lok Barkwood will enhance your home's appearance today — and for years to come.

NO PAINT, NO STAIN, NO HASSLES. T-Lok Barkwood, a premium panel, never needs paint or stain. Unlike real wood siding, it won't crack, peel, flake or rot. Revolutionary technology like Ply Gem's exclusive Hang-Tough™ Technology maximizes the panel's weatherability and delivers additional protection — and peace of mind — for your investment.

COLOR AND TEXTURE. Featuring a distinctive woodgrain, T-Lok Barkwood is available in a broad palette of colors — 16 base colors from classic hues to light neutrals.

PEACE OF MIND THAT LASTS A LIFETIME. T-Lok Barkwood is backed by the V.I.P. Limited Lifetime Warranty. Please see our warranty for complete details.


Beauty that lasts. Based on an average-size home, repainting or staining can cost up to \$6,000 every four years. T-Lok Barkwood never needs painting, caulking or patching because, unlike wood, it won't crack, peel, rot or split.



NO PAINT. NO STAIN. NO HASSLES.

TYPICAL SAVINGS
IN PAINTING COSTS

SAVINGS ADD UP



HANG-TOUGH™ TECHNOLOGY

Exclusive formulation and process boosts durability so panels are more resistant to cracking, impact and thermal distortion. As an added benefit, rich color resides throughout the panel – virtually eliminating the appearance of nicks and minor surface scratches.



BREATHE EASY

Unlike some fiber cement products, vinyl siding does not produce harmful silica dust – silica dust can cause lung disease.

V.I.P. LIMITED LIFETIME WARRANTY

Premium guarantee of lasting quality and peace of mind – backed by Ply Gem, a trusted industry leader for 75+ years.

See warranty for complete details.



Test our vinyl. We do. Rigorously. Relentlessly.



OIL CAN TEST Siding panels are placed under heat strips and saturated to 120° — 140°F to make sure the siding doesn't warp or buckle.



WEATHERING Color retention (resistance to fading) is tested by subjecting Mastic products to real-time weather conditions and accelerated UV testing. This ensures that Mastic products will hold up in the most extreme environmental conditions.



RIGIDITY Panels are designed and engineered to be more rigid so the siding remains straight on the wall.



COLOR READ TEST Using a spherical spectrophotometer, a 10,000 watt xenon flash tube bounces light off a siding panel. This information is then analyzed to determine if the color falls within accepted ranges for color consistency and match.



VERTICAL HEIGHT IMPACT TEST Measures the product's durability and ability to resist impact forces — the result of proper thickness, formulation and impact modifiers.



GLOSS TEST A digital readout microgloss meter is used to scan siding to determine if its gloss falls within a target range. Gloss is important to the aesthetic appeal of the siding.

Time-tested. Certified. And more.



The Vinyl Siding Institute (VSI) sponsors a certification program that assures the quality of vinyl siding by offering manufacturers the means to independently verify the quality of our products through third-party testing and inspection.

Through this program it was certified that Mastic vinyl siding products meet or exceed the performance standards set forth by ASTM D3679 and the color retention requirements of ASTM D6864/D7251, so you can have confidence our products will perform well, season after season.

ASTM STANDARDS



WITHSTAND THE IMPACT OF RECOMMENDED INSTALLATION PROCEDURES.



STAY ON THE HOUSE IN HEAVY WINDS OF AT LEAST 110 MPH.



LAY STRAIGHT ON A FLAT WALL AND NOT BUCKLE UNDER NORMAL CONDITIONS.



WITHSTAND THE EFFECTS OF NORMAL SEASONAL TEMPERATURE FLUCTUATIONS.



MEET MANUFACTURERS' ADVERTISED SPECIFICATIONS FOR LENGTH, WIDTH, GLOSS AND THICKNESS — AND HAVE A MINIMUM THICKNESS OF .035.

MASTIC PERFORMANCE



Mastic siding is designed and engineered to withstand impact beyond that required by ASTM D3679.



T-Lok Barkwood withstands winds up to 165 mph.



Our product development team subjects Mastic products to a battery of rigorous tests to ensure superior quality and performance and, in addition to lay-flat design features, some Mastic products are even designed to hide existing imperfections in construction.



With our exclusive Duranyl 5000 Protection System and Hang-Tough™ Technology, Mastic products are engineered to persevere in the most extreme conditions.



T-Lok Barkwood features a premium nominal thickness of .048 — 37% thicker than the minimum requirement.

*Consult the VSI website at vinylsiding.org for a current list of certified products and colors.

COLOR

Enhance your home's style with a palette ranging from traditional pastels and earth tones to darker contemporary colors. The choice is all yours.



T-LOK BARKWOOD PROFILE AND COLOR KEY

Due to printing limitations, colors may not be exactly as shown. Refer to actual sample and color chips for best match.

S8 SINGLE 8"
D4 DOUBLE 4"

D5 DOUBLE 5"
DL⁵ DOUBLE 5" DL

T2 TRIPLE 2-2/3"
ALL ALL PROFILES

CLASSIC COLORS

EVEREST

D4 D5 DL⁵ T2

HARBOR GREY

D4 D5 DL⁵ T2

PEBBLESTONE CLAY

D4 D5 DL⁵ T2

SCOTTISH THISTLE

D4 D5 DL⁵ T2

LIGHT COLORS

ALMOND

D4 D5 DL⁵ T2

CAMEO

D4 D5 DL⁵ T2

CLASSIC CREAM

D4 D5 DL⁵ T2

COLONIAL YELLOW

D4 D5 DL⁵ T2

DESERT SAND

D4 D5 DL⁵ T2

LINEN

D4 D5 DL⁵ T2

SAGE

D4 D5 DL⁵ T2

SANDTONE

D4 D5 DL⁵ T2

SILVER GREY

D4 D5 DL⁵ T2

VICTORIAN GREY

D4 D5 DL⁵ T2

WHITE

ALL

WICKER

D4 D5 DL⁵ T2

Explore the possibilities.
Mastic.com/getstarted.



TRIPLE 2-2/3"

DOUBLE 5"

DOUBLE 4"


SINGLE 8"

DOUBLE 5"
DUTCH LAP



ADVANCED LOCKING SYSTEM AND NAIL HEM

Precise, secure fastening, easier installation and tighter fit combine to deliver added strength and stability — even in high winds.



AN INDUSTRY FAVORITE FOR 30+ YEARS

A Ply Gem Mastic best seller, thanks to its attractive lines, superior quality — and 30+ years of proven performance.



.048
THICKNESS

PREMIUM .048 NOMINAL THICKNESS

Superior thickness and impact formulation provides 25% more impact resistance than standard .040 panels.



165
MPH

WIND SPEED — RATED UP TO 165 MPH

- 1/2" PANEL PROJECTION (D 4", T 2-2/3")
- 5/8" PANEL PROJECTION (D 5", D 5" DLAP)
- 3/4" PANEL PROJECTION (S 8")

Enhanced shadow lines replicate the appearance of real wood siding.



HANG-TOUGH™ TECHNOLOGY

Exclusive formulation and process boosts durability so panels are more resistant to cracking, impact and thermal distortion. As an added benefit, rich color resides throughout the panel — virtually eliminating the appearance of nicks and minor surface scratches.



CLASS 1(A) FIRE RATING



V.I.P. LIMITED LIFETIME WARRANTY

Premium guarantee of lasting quality and peace of mind — backed by Ply Gem, a trusted industry leader for 75+ years (see warranty for complete details).



METRO-DADE COUNTY APPROVED



T-LOK BARKWOOD HAS BEEN CERTIFIED BY HOME INNOVATION RESEARCH LABS.

This means you can be assured that this product complies with specific green practice criteria in the National Green Building Standard (NGBS). Visit HomeInnovation.com/GreenProducts for more details.


Home Innovation
NGBS GREEN CERTIFIED™

RESOURCE EFFICIENCY

A HEALTHY RESPECT FOR THE PLANET — AND OUR CUSTOMERS.



Ply Gem can help you meet your sustainable building goals and earn points in leading green building certification programs. Our products offer features that positively contribute to sustainable practices, improved energy efficiency or lifecycle benefits of homes. All are foundational elements of sustainable building reflected in Ply Gem's Enviro initiative.



For more information on how Mastic products can help you meet your sustainable building goals, refer to our *Building to Make a Difference* white paper available at mastic.com.



SUSTAINABLE RESOURCES:

- Mastic vinyl siding is manufactured from two abundant natural resources: salt (57%) and natural gas (43%).¹
- During the manufacturing process of our vinyl siding, all unused material is reclaimed and reused, creating one of the most efficiently-produced exterior claddings available today.
- The Structure Home Insulation System™ has been third-party verified and Green Circle certified to contribute towards achieving LEED® and NAHB credits, utilizing post-consumer and post-industrial recycled material.
- When installed and used properly, Mastic products never require paint or stain, which reduces VOCs released into the atmosphere.
- Mastic Performance Metals® have been third-party verified and Green Circle certified to contain a minimum of 67% recycled content.
- Ply Gem facilities reuse and recycle pallets and packaging material, reducing raw material needs and landfill use.



ENERGY EFFICIENCY:

- Vinyl siding requires less energy to manufacture per square foot than brick and mortar.²
- Mastic vinyl siding is lighter weight per square than other cladding options, so it requires less fuel to transport. Less fuel used means less pollution.
- When correctly installed, the Structure Home Insulation System™ can reduce thermal bridging and help meet the requirements of an ENERGY STAR® Qualified new home. The Structure Home Insulation System™ in a Double 6" profile has an R-value³ of R-3.0 using the testing method ASTM C1363, as specified by the Federal Trade Commission.
- Mastic Performance Metals® V-Groove soffit and roof and eave vents support proper attic ventilation efforts, which moderates attic temperatures and improves a home's energy efficiency. Mastic V-Groove metal soffit provides the most net free ventilation per linear foot of any aluminum soffit system.

¹ "A Dozen Things You Might Not Know That Make Vinyl Siding Green," page 9, Tad Radzinski, P.E., LEED AP, and VSI, October 10, 2009. <<http://www.vinylsiding.org/greenpaper/>>

² Ibid, page 10

³ R means resistance to heat flow. The higher the r-value, the greater the insulating power.



LIFECYCLE BENEFITS OF HOMES:

- Mastic vinyl siding is durable and requires no site finish. Our Performance Metals® stand up to weather with virtually no maintenance. Our Designer Accents™ use thicker construction and a baked lacquer finish to ensure that they hold up season after season.
- When installed properly and under normal use, our products should never require painting or staining. They won't crack, peel, blister, or rot.
- All of our Performance Metals® aluminum accessories are easily recyclable. In fact, at the end of its lifecycle in building applications, 100% of the aluminum can be recycled.



VINYL SIDING ENVIRO SNAP SHOT:

LEED For Homes — Possible Points



LEED New Construction — Possible Points



NAHB Standards — Possible Points



Looking for Mastic products with features that can contribute to overall energy savings, lower maintenance and reduced environmental impact? These logos identify products recognized by third parties as supporting green building practices.



Mastic supports green building and it shows. We are active members of both the USGBC and NAHB — two key organizations that are working to define sustainable building practices.



GIVE YOUR HOME THE PERFECT FINISH

The big things like siding and windows make the house, but it's the finishing touches that make it home. So start with the rich texture of shakes or the crisp shadow lines of lap siding, but finish with charming shutters, expertly crafted trim or rustic stone. Creating your dream home exterior can start and finish with Ply Gem. Every product we make is designed to perform and look beautiful together. Because a house is a home when it's **perfectly finished**.



Get Started

To get started on your dream home exterior visit mastic.com/getstarted.

1 DREAM

DESIGN FIELD GUIDE

A series of amazing exterior transformations that will inspire ideas for your own home.



2 ADD COLOR + VISUALIZE

THE INTERACTIVE DESIGN TOOL

Mix and match colors and styles to see how they look together.



3 PREVIEW

DREAMHOME PROFESSIONAL

Use a photo of your home to see a realistic image of a designed exterior on your house. *Ask your builder or remodeler.*





THE PLY GEM PROMISE

Mastic products are backed by Ply Gem — a 75-year leader in pioneering performance home exteriors, with a superior warranty for exactly the home you want for decades to come.



mastic.com
800 962 6973

PLY GEM SIDING GROUP
2600 GRAND BLVD. SUITE 900
KANSAS CITY, MO 64108

PLY GEM RESERVES THE RIGHT TO ALTER, MODIFY OR DELETE ITEMS FROM TIME TO TIME WITHOUT NOTICE. DUE TO PRINTING LIMITATIONS, COLORS MAY NOT BE EXACTLY AS SHOWN. CONTACT YOUR DISTRIBUTOR OR SALES REPRESENTATIVE FOR ACTUAL PRODUCT AND COLOR SAMPLES.

PLY GEM, THE PLY GEM LOGO, THE PLY GEM BADGE, AND MASTIC ARE TRADEMARKS OF PLY GEM INDUSTRIES, INC. ("PLY GEM") OR AN AFFILIATE OF PLY GEM. © 2018 PLY GEM INDUSTRIES, INC ALL PRODUCTS MADE IN THE U.S.A. 7601094021101/REVA/MS/CG/0618

